




CleanLine™ Ultimate Washdown Solutions



"At the Heart of What Drives Your World"

CleanLine UltraPlus™ Ultimate Solutions



Hub3™ Stainless Steel High Efficiency Helical Inline Drives

- Ratios from 2.57/1 to 51.25/1
- Power Ratings to 18HP
- Two Models: SSHI4042 and SSHI4062
- Smooth Cast Surface Finish
- Factory Filled with USDA H1 Lubricant for Application Service Life of the Drive
- High Pressure Dual Lip Seals Configured for Severe High Pressure & Chemical Washdown Environments
- 316 Stainless Steel Housings & Shafts
- HACCP Compatible
- BISSC Certified
- Packaged with LEESON Washguard® All-Stainless Motors



Hub3™ Stainless Steel High Efficiency Helical Bevel Drives

- Ratios from 6:1 to 140:1
- Power Ratings from 3/4 to 12 hp
- Two Models: SSHB2043 and SSHB2063
- Surface Finish Machined to a R_a of 70µin
- Factory Filled with USDA H1 Lubricant for Application Service Life of the Drive
- High Pressure Dual Lip Seals Configured for Severe High Pressure & Chemical Washdown Environments
- 316 Stainless Steel Housings & Shafts
- HACCP Compatible
- BISSC Certified
- Packaged with LEESON Washguard® All-Stainless Motors
- Rebuild for Life Longevity Program
- Patent Pending



CleanLine UltraPlus™ StainlessSteel Mounted Bearings

- 304 Stainless Steel Housings
- 440 Stainless Steel Rings and Balls
- 302 Stainless Steel Flingers and Retainers
- Factory Filled with USDA H1 Lubricant
- Machine Polished to NSF/3-A or Industry Approved Standards
- Bore Sizes Up to 1.9375"
- HACCP Compatible

CleanLine UltraPlus™ Ultimate Solutions

Hub3™ Stainless Steel Worm Gear Drives

- Four Sizes: 1.75" CD, 2.06" CD, 2.625" CD & 3.25" CD
- Designed to be Compliant with NSF/ANSI/3-A 14159-1—2002
- Surface Finish Machined to a R_a of $70\mu\text{in}$
- Factory Filled with USDA H1 Lubricant for Application Service Life of the Drive
- Sealed Non-Vented Housing
- High Pressure Dual Lip Seals Configured for Severe High Pressure & Chemical Washdown Environments
- 316 Stainless Steel Housings & Shafts
- HACCP Compatible
- BISSC Certified
- Packaged with LEESON Washguard® All-Stainless Motors
- Rebuild for Life Longevity Program
- Patent Pending



Hub3™ Stainless Steel Bevel Gear Drives

- Five Models: M3, 165, 175, 65 and 66
- Designed to be Compliant with NSF/ANSI/3-A 14159-1—2002
- Surface Finish Machined to a R_a of $70\mu\text{in}$
- Factory Filled with USDA H1 Lubricant for Application Service Life of the Drive
- Sealed Non-Vented Housing
- High Pressure Dual Lip Seals Configured for Severe High Pressure & Chemical Washdown Environments
- 316 Series Stainless Steel Housings & Shafts
- HACCP Compatible
- BISSC Certified
- Rebuild for Life Longevity Program
- Patent Pending



CleanLine Plus™ Thermoplastic Composite Mounted Bearings

- Ultradur® Glass Reinforced PBT Thermoplastic Housings
- 440 Stainless Steel Rings and Balls
- 302 Stainless Steel Flingers and Retainers
- Factory Filled with USDA H1 Lubricant
- Smooth Surface for Easy Cleaning
- Bore Sizes Up to 1.5"



CleanLine™ Basic Solutions



CleanLine™ High Efficiency Gear Drives

- FDA Approved White Acrylic Paint
- 303 Stainless Steel Output Shafts
- Stainless Steel Hardware and Nameplate
- BISSC Certification Optional
- Available in All Standard Models of Helical Bevel, Helical Worm, Helical Parallel and Helical Inline
- USDA/FDA Approved Stainless Steel Paint Optional



CleanLine™ Worm and Bevel Gear Drives

- FDA Approved White Acrylic Paint
- 303 Stainless Steel Output Shafts
- Stainless Steel Hardware and Nameplate
- BISSC Certification Optional
- Available in All Standard Models
- USDA/FDA Approved Stainless Steel Paint Optional
- Most Popular Models Available in 5 Days or Less



CleanLine Plus™ Modified and Custom Drives

- Designs Tailored to Your Specifications
- Meeting Unique Application Needs
- Special Fabrications
- Corrosion Resistant Treatments such as Powder or Stainless Steel Paint



A Regal Beloit Company

Phone: 605-225-0360 • Fax: 605-225-0567

Email: sales@hubcityinc.com • www.hubcityinc.com



Channeling the
Power of Industry



6012H-2500-SK-10/07-WP